



AMERICAN CUSTOM SAFETY

Your Source for
Promotional Safety

www.35494.asisupplier.com





Brochure Index

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Classic Head Protection Products	1
Standard Series	3
AboveView™ Hard Hat	5
Vector Helmet	7
Hard Hat Pencil Holder	9
Mini Hard Hat	10

The staff of American Custom Safety thanks you for your interest in high quality safety and promotional products available through our company.

This brochure will provide further information on the following ACS products:

- ANSI/ISEA/OSHA approved, customized hard hats/caps
- Groundbreaking supplies
- Personalized fire helmet and hard hat plaques
- Groundbreaking shovels
- Ceremonial hard hats

Should you have questions, please contact us.

Available Hard Hat Colors:

Unless otherwise noted, hard hats in this catalog available in the following colors:





Classic Series Head Protection Models

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

The Bullard Classic Series hard hats and caps continue to set the standard for industrial head protection.

Comfort

Featuring wider brims than most hard hats, Classic caps and hats offer increased protection from rain, snow, dust and harmful ultraviolet (UV) rays. The six-point suspension, standard in all Classic Series products, has 1" (2.54 cm) wide nylon straps, offering increased balance and comfort. The full-profile shell also enhances ventilation.

Select either the RS6PC self-sizing suspension or the RS6RC Flex-Gear® non-slip ratchet suspension. Both suspensions feature an exclusive Sportek™ cotton removable brow pad for superior absorbency and comfort. Vertical adjustment hanger keys on the front and rear positions of the headband form the basis for a truly customized fit.

Versatility

With four distinctive models from which to choose, each Classic Series hard cap and hat style offers unique benefits to the wearer.

Two-Year Warranty

Demanding quality standards and leading edge manufacturing processes allow Bullard to offer a two-year limited warranty – the longest in the industry.

Decoration

No other manufacturer offers more decorating flexibility and capability than Bullard. Hard hats and caps can be decorated with company logos or safety slogans in up to six colors in virtually any lateral position on the shell.

Worker visibility can be increased with Scotchlite® reflective stripes or small reflective strips in a multitude of colors. Bullard offers 20 standard shell colors and will match other colors for companies requiring specific shades. A higher minimum and additional cost will apply. Bullard Classic caps and hats meet/exceed ANSI/ISEA Z89.1, Type I, Class E and G requirements.



Models 30P and 30R, our most popular Classic cap models, are among the most adaptable hard hats available. Accessory slots accept faceshields, hearing protection, welding helmets or communication devices.



Models 33P and 33R are preferred by wearers who desire a full-brim hat. This style offers more protection from harmful ultraviolet rays, as well as from glare, moisture and dust.



Models 34P or 34R offer wearers added comfort with twelve percent more interior space and a customized fit in the classic-style workers prefer.




Models 35P or 35R features accessory slots for face and sun protection, giving wearers added protection from the sun's rays and workplace debris.



Classic Series Head Protection Models

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Suspension Choices for Bullard Classic Series



Model 30R Pictured with Flex-Gear® Ratchet Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable, absorbent cotton (RS6RC) brow pad with pillow cushions
4. Cushioned Nape
5. Large, easy to turn ratchet knob

Model 33P Pictured with Self-Sizing Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable cotton brow pad (RS6PC) with pillow cushions
4. Sizing Buckle

Ordering Information

CATALOG NUMBER	DESCRIPTION
30P	6-pt pinlock classic cap
30R	6-pt ratchet classic cap
33P	6-pt pinlock full brim hat
33R	6-pt ratchet full brim hat
34P	6-pt pinlock, x-large, full brim hat
34R	6-pt ratchet, x-large, full brim hat
35P	6-pt pinlock, x-large, full brim hat
35R	6-pt ratchet, x-large, full brim hat

Replacement Parts

CATALOG NUMBER	DESCRIPTION
RS6PC	6-pt pinlock replacement suspension
RS6RC	6-pt ratchet replacement suspension
RBPCOTTON	Velcro replacement absorbent cotton brow pad for all Bullard suspensions
RBPVINYL	Velcro replacement vinyl brow pad for all Bullard suspensions
RBPCOOL	Velcro replacement brow pad, cooling material, for all Bullard suspensions

WARNING

This hard hat provides limited protection by reducing the force of falling objects striking the top of the shell. While it will provide limited protection in other parts of the shell, it was not designed to provide front, side, or rear impact protection.

Avoid contact of the hard hat with electrical wires.

Never alter or modify shell or suspension system. Where appropriate, always use Bullard replacement parts.

Inspect your hard hat shell or suspension regularly. Make it a habit to check for cracks, frayed straps and any sign of damage before putting on your hard hat each and every time.

If you notice any sign of wear or damage, the shell and/or suspension should be destroyed IMMEDIATELY and replaced. If the hard hat has been struck by a forcible blow, it must be destroyed and replaced immediately, even if there is no visible damage.

Bullard products are manufactured to exacting specifications. Any alteration or modification of these products by the user may adversely affect product performance. This data sheet is in summary form only for easy reference. Refer to labels, instructions and other literature accompanying the product for more complete details regarding use, maintenance, warnings, performance capabilities, complete specifications and precautions.

Failure to observe this warning could result in death or serious injury.



Standard Series Head Protection Models

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

The Standard...setting the standard for comfort, style and versatility.

The Standard by Bullard takes style and comfort to a new level. A low-profile shell, along with the Bullard three-rib design and patented suspension system, provide maximum comfort with a look workers prefer.

Comfort

The Standard Series of hats is available with two nylon suspension options: self-sizing or ratchet. Both suspension styles have large, pillowed, replaceable brow pads. Models 61, 62 and 71 come standard with a cotton brow pad. Model 51 comes standard with a poly brow pad.

The Bullard patented Flex-Gear® ratchet suspension is designed with built-in flex points that allow the ratchet housing to conform to the back of the worker's head, ensuring a snug and comfortable fit. The nape cushion adds to the comfort and overall fit of the suspension.

Easy to adjust vertical height settings, two front and two rear, provide a customized fit which will increase wear time and worker compliance. All vertical height adjustment settings ensure that the hard hat remains centered on the head.

The Standard is also offered in a vented design (Model 62). The vented model offers increased air circulation, resulting in optimal worker comfort.

Style

The low profile shell design of the Standard cap combines a perfect fit with a look that workers prefer. The sleek, trim shell profile is the most stylish in the industry.

The Standard Series also includes a full-brim style (71) for additional protection from exposure to sun and rain.

Hard hat colors can be used to identify different job functions, trades, or departments within an organization. With this in mind, Bullard has chosen 20 of the most popular shell colors for its standard color offering. Many custom and special colors are also available upon request. Contact American Custom Safety for details.

Versatility

The Standard Series hard hats come equipped with accessory slots for mounting a variety of attachments including faceshields, welding helmets, earmuffs and headsets.

Brow pads on all Standard Series hard hats are replaceable. Replacement brow pads can easily be velcroed on in place of, or over the original pad. This feature combined with the choice of vinyl, cotton or a special cooling material ensures the right comfort level and protection for the wearer.

Meets OSHA and ANSI/ISEA Requirements

Bullard Models 51, 61 and 71 conform to all OSHA and ANSI/ISEA Z89.1, Type I, Class E & G requirements, including impact, penetration and electrical insulation. Bullard Model 62 (vented) conforms to all OSHA and ANSI/ISEA Z89.1, Type I, Class C requirements, including impact and penetration.

Customization

Bullard uses state-of-the-art technology to imprint your company's logo or safety slogan. Whether the design is one color or six, it can be reproduced accurately, quickly and inexpensively. Your company's logo can be printed in up to eight locations around the hard hat. Reflective or non-reflective stripes can also be applied to increase worker visibility. No other manufacturer offers a decoration program that is as easy, fast or reliable.



Model 61R



Model 71R



Model 62R




Model 51R



Standard Series Head Protection Models


ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Suspension Choices for “The Standard” Series Caps



Model 61P Pictured with Self-Sizing Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable cotton brow pad (RS4PC) with pillow cushions
4. Sizing Buckle



Model 61R Pictured with Flex-Gear® Ratchet Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable, absorbent cotton (RS4RC) brow pad with pillow cushions
4. Cushioned Nape
5. Large, easy to turn ratchet knob

Ordering Information

CATALOG NUMBER DESCRIPTION

51P	Standard Series cap with rain trough, 4-point self-sizing suspension, Poly brow pad
51R	Standard Series cap with rain trough, 4-point Flex-Gear ratchet suspension, Poly brow pad
61P	Standard Series cap, low profile, 4-point self-sizing suspension, Cotton brow pad
61R	Standard Series cap, low profile, 4-point Flex-Gear ratchet suspension, Cotton brow pad
62P	Standard Series cap, Vented, low profile, 4-point self-sizing suspension, Cotton brow pad
62R	Standard Series cap, Vented, low profile, 4-point Flex-Gear ratchet suspension, Cotton brow pad
71P	Standard Series hat, full-brim style, 4-point self-sizing suspension, Cotton brow pad
71R	Standard Series hat, full-brim style, Flex-Gear ratchet suspension, Cotton brow pad

CATALOG NUMBER DESCRIPTION

RS4PP	Replacement Suspension, 4-point, Pinlock, Poly brow pad for 51P
RS4PC	Replacement Suspension, 4-point, Pinlock, Cotton brow pad for 61P, 62P and 71P
RS4RP	Replacement Suspension, 4-point, Ratchet, Poly brow pad for 51R
RS4RC	Replacement Suspension, 4-point, Ratchet, Cotton brow pad for 61R, 62R and 71R
RBPCOTTON	Velcro replacement absorbent cotton brow pad for all Bullard suspensions
RBPVINYL	Velcro replacement vinyl brow pad for all Bullard suspensions
RBPCOOL	Velcro replacement brow pad, cooling material, for all Bullard suspensions

⚠ WARNING

This hard hat provides limited protection by reducing the force of falling objects striking the top of the shell. While it will provide limited protection in other parts of the shell, it was not designed to provide front, side, or rear impact protection. Avoid contact of the hard hat with electrical wires. Never alter or modify shell or suspension system. Where appropriate, always use Bullard replacement parts. Inspect your hard hat shell or suspension regularly. Make it a habit to check for cracks, frayed straps and any sign of damage before putting on your hard hat each and every time. If you notice any sign of wear or damage, the shell and/or suspension should be destroyed IMMEDIATELY and replaced. If the hard hat has been struck by a forcible blow it must be destroyed and replaced immediately, even if there is no visible damage.

Bullard products are manufactured to exacting specifications. Any alteration or modification of these products by the user may adversely affect product performance. This data sheet is in summary form only for easy reference. Refer to labels, instruction and other literature accompanying the product for more complete details regarding use, maintenance, warnings, performance capabilities, complete specifications and precautions. Failure to observe this warning could result in death or serious injury.



AboveView™ Hard Hat

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Safety

Featuring a see-through visor that allows workers to see hazards overhead, the patented AboveView Full-Brim Hard Hat is designed with a wide brim for increased protection from the elements and comes equipped with accessory slots for a variety of attachments. ANSI/ISEA Classification: Z89.1, Type I, Class E and G.

Comfort

AboveView comes with all the standard Bullard hard hat comfort features including, 3/4" seamless suspension, large absorbent cotton or easy-to-clean vinyl brow pad, Flex-Gear® ratchet suspension, and front, side, and rear vertical height adjustment settings. Like all Bullard hard hats, the AboveView is designed for users to experience the ultimate comfort while on-the-job. AboveView sits below the "nape" portion of the user's head ensuring a secure fit and lessening the possibility of the hat falling off while working.

Style

AboveView's sleek full-brim design and see-through visor combine for a perfect fit with a look that workers prefer.

Versatility

AboveView is the only hard hat with a replaceable clear brim visor. Replacement visors are available in clear, grey and yellow tints. The AboveView is available in all Bullard standard colors and can be customized with striping and logos.

Other colors available upon request. Minimum quantity requirements apply.



See What You've Been Missing






AboveView Hard Hat

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Features

AboveView



1. Replaceable See-Through Visor
2. Vertical Adjustments (two front and two rear)
3. Nylon Crown Straps
4. Large, replaceable, absorbent Cotton or easy-to-clean Vinyl brow pad
5. Cushioned Nape
6. Large, easy-to-turn Flex-Gear® ratchet knob
7. Accessory Slots

Ordering Information

CATALOG NUMBER DESCRIPTION

Hats	
AV**RC	4-point Ratchet with Clear Brim Visor and Cotton Brow Pad
AV**RG	4-point Ratchet with Grey Brim Visor and Cotton Brow Pad
AV**RY	4-point Ratchet with Yellow Brim Visor and Cotton Brow Pad
AV**BC	4-point Ratchet with Clear Brim Visor and Vinyl Brow Pad
AV**BG	4-point Ratchet with Grey Brim Visor and Vinyl Brow Pad
AV**BY	4-point Ratchet with Yellow Brim Visor and Vinyl Brow Pad

** Replace with hat color

Replacement Suspensions

RS4RC	4-point Ratchet with Cotton Brow Pad
RS4RP	4-point Ratchet with Poly Brow Pad
RS4RB	4-point Ratchet with Vinyl Brow Pad

CATALOG NUMBER DESCRIPTION

Accessories / Replacement Parts

RBPCOOL	Polartec® Cooling Replacement Brow Pad for All Bullard Hard Hats
RBPCOTTON	Cotton Replacement Brow Pad for All Bullard Hard Hats
RBPVINYL	Vinyl Replacement Brow Pad for All Bullard Hard Hats
CSS	Cotton Neck Sunshade for Attachment to Hard Hats
SS6	Sunshield for Bullard Full-Brim Hat Style Helmets
GC100	Set of Three Self-adhesive Goggle Clips
ES3	3-Point Chinstrap, Latex-Free, Black Elastic
ES42B	2-Point Chinstrap, Latex-Free, Black Elastic, for all Hard Hat Models
R50	Nomex® Chinstrap with Postman's Slide Fastener
ECB	Evaporative Cooling Beanie for all Hard Hat Models
ECCN	Evaporative Cooling Crown and Neck Shade for all Hard Hat Models

Brackets

112G	Goldline Aluminum Bracket, Front Band-Mounted
312B	Dielectric Bracket, Front Band-Mounted

Replacement Visors

AVPC	Clear tint visor
AVPG	Grey tint visor
AVPY	Yellow tint visor



Clear Tint for full visibility



Grey Tint for shade



Yellow Tint to prevent glare



Vector Helmet/VT Series

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Designed to meet CSA and ANSI/ISEA Type II Standards

The Bullard Vector helmet provides impact protection for the top, front, back and side of the head. Vector helmets are lightweight, comfortable, affordably priced and designed to accommodate numerous accessories. In addition to the advanced features, the helmet is easy to customize with company logos, slogans and reflective markings.



VTR
Vector offers top, front, back and side impact protection.

Protection

Vector helmets use a full inner shock liner to absorb impacts from the top, front, back and side. The shock liner is carefully engineered to provide advanced protection with minimal weight. Combined with its heavy-duty polyethylene shell and standard suspension or optional Sure-Lock® ratchet suspension, Vector offers advanced protection at a competitive price.

A two-point chinstrap and heavy-duty polycarbonate faceshield are available as options.

Comfort

Vector helmets offer lateral and top impact protection with only slight weight addition over conventional hard hats. Either the standard VT600 suspension or optional VTRT600 Sure-Lock® ratchet suspension ensures a secure and comfortable fit for virtually all head sizes and shapes. The standard Sportek™ brow pad is the most absorbent and comfortable brow pad available.

Decoration


Vector helmets can be decorated with your company's logo using up to six colors in as many as eight different locations. This hard hat is available in the following colors: white, yellow, orange, red, blue, green, hi-viz orange, hi-viz green and hi-viz yellow.

Value

Vector helmets offer advanced head protection and comfort at an affordable price. The lightweight Vector helmets are compliant with ANSI/ISEA Z89.1 Type II and CSA Z94.1. The Sportek brow pad, comfortable suspension, built-in goggle strap, retaining slots and Bullard's unsurpassed reputation for quality make Vector helmets a superior value in industrial head protection.

Available in the following colors:

white, yellow, hi-viz yellow, orange, hi-viz orange, Kentucky blue, forest green, navy blue




www.35494.asisupplier.com




Vector Helmet/VT Series

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Suspension Choices



Vector-CRT with Ratchet Suspension



Vector-C with Standard, Self-Sizing Suspension

1. **Outer Shell of Polyethylene** – comfortable lightweight design for maximum comfort.
2. **Expanded Polystyrene Foam Core** – reduces the possibility of serious head injury by helping to absorb the forces of impact.
3. **Four-point Suspension System** – straps are angled to fit the head for superior comfort.
4. **Ventilation Channels** – help keep wearer cooler and more comfortable.
5. **Sizing Mechanism** – choose from either the ratchet Sure-Lock® or standard self-sizing suspension.

Vector meets/exceeds all requirements of ANSI/ISEA Z89.1 Type II, Class E & G and CSA Z94.1 (Class E).

Vector Ordering Information

CATALOG NUMBER

DESCRIPTION

Helmets

VTP	Helmet with standard suspension
VTR	Helmet with ratchet suspension
Colors:	Vector is available in White, Yellow, Red, Blue, Green, Orange, Hi-Viz Orange, Hi-Viz Yellow and Hi-Viz Green

Replacement Parts

VTRT600	4-point Sure-Lock ratchet suspension
VT600	4-point standard suspension
TT3	Sportek replacement brow pad
VTS	Shock liner replacement

CATALOG NUMBER

DESCRIPTION

Accessories

300B	Front mounting dielectric faceshield bracket
A110	Dielectric quick-release chinstrap w/mounting hardware
840P	8" x 15" x .040" clear heat-formed polycarbonate visor
840M	8" x 15" x .040" clear acetate visor

Additional replacement parts, accessories and decorations are available.

⚠ WARNING

No helmet can protect the wearer against all foreseeable impacts. Vector helmets are designed to provide limited protection to the head by reducing the force of falling objects striking the top, front, back and sides of the helmet shell. This is accomplished through partial destruction of helmet components upon impact. The Vector C and CRT helmets meet ANSI/ISEA Z89.1 Type II, Class E and G and CSA Z94.1 Class E requirements.

NEVER ALTER OR MODIFY THE HELMET SHELL OR SUSPENSION SYSTEM. ALWAYS USE BULLARD REPLACEMENT PARTS. Inspect your helmet shell, shock liner and suspension regularly. Check for cracks, frayed straps and any signs of damage before each use. Replace the helmet immediately if you notice any signs of wear, damage, abuse or environmental degradation. If the helmet has sustained a forcible blow (impact), dispose of it immediately, even if damage is not visible.

HELMET SERVICE LIFE: This helmet does not have an indefinite service life. Conditions found in many work environments, such as exposure to ultraviolet light, temperature extremes, chemical exposure, wear and tear from daily use will reduce the protective properties of the helmet over time. Ask your employer about helmet replacement policy. As a general guideline, Bullard recommends replacing helmets within five years of initial use.

THIS HELMET IS NOT FOR MOTOR VEHICLE USE OR FIRE FIGHTING.

Bullard products are manufactured to exacting specifications. Any alteration or modification of these products by the user may adversely affect product performance. This brochure is in summary form only for easy reference. Refer to labels, instructions, or other literature accompanying the product for more complete details regarding product use, maintenance, warnings, performance capabilities, complete specifications, instructions and precautions. Failure to observe this warning could result in death or serious injury.



Hard Hat Mini Caps

ASI #35494 • PPAI #157367 • UPIC: HARDHATS



Looks like the real thing in miniature size!

Actual size:
Mini hat 1" x 1½"

These construction related miniature items are offered in seven standard colors. Choose from Orange, White, Kentucky Blue, Red, Yellow, Dove Grey and Green. Minimum quantity of 250 pieces required.

The minicaps have a loop molded in the back making this item easy to attach to a key chain. Minicaps can easily be attached to a string card or used to make a construction themed item.

American Custom Safety
www.35494.asisupplier.com

©2018 Bullard. All rights reserved, including the right of reproduction, in whole or in part, in any form.

Flex-Gear, Sure-Lock, Hard Boiled are registered trademarks of Bullard.

Scotchlite is a registered trademark of 3M Company.

▲ California Proposition 65 WARNING:
Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

8394 (0918)

www.35494.asisupplier.com